

SCRATCHEX™

YOUR TEXTURE EXPERT

HOMESURE®





**TOUGH
TEXTURE**



**EXCELLENT
COVERAGE**



**PLASTER
PROTECTION**



**WEATHER
PROTECTION**

ScratchEX is formulated with modified acrylic emulsion and reinforced with quartz aggregates. Its **EX**pert formulation keeps it safe against the ill-effects of weather. **ScratchEX** is highly recommended to be used on freshly plastered surfaces. We, the **EX**perts of texture, also assure that a totally new life can be given to old weather-beaten surfaces of your walls through our **EX**pertise.

Suitable for all types of exterior and interior walls to make them look more entertaining, interesting and appealing.



FEATURES

- ✓ **Hides cracks**
It hides crack in surface undulation and refines surface cracks.
- ✓ **Tough textured**
It's tough textured finish lasts long and ensures low maintenance.
- ✓ **Protection of plasters**
It protects the plastered wall from heavy rain and wind.

BENEFITS

- ✓ Good workability and high durability. It is highly compatible with plaster and concrete wall surface.
- ✓ Excellent resistance against the growth of algae and fungi on the wall.
- ✓ Provides best value for money.



SUITABLE ON

- ✓ Cement Plaster
- ✓ Concrete
- ✓ Gypsum Board
- ✓ Masonry



SUGGESTED FINISHES



BRICKS



STONE



CUBE



HORIZONTAL



VERTICAL



RAINFALL

TECHNICAL DETAILS

Coverage: 2.5 – 4 Sq. Ft. / Kg / Coat
VOC: Less than 50 gm / ltr
Colour: Off White
Commodity: Acrylic texture
Available Package: 25 Kg & 30 Kg

Dry to recoat: 12 – 16 hrs
Thinning Recommended:
Dilute approx. 3 - 4 % if required
Thinner: Fresh Water
Touch Dry: 30 minutes (May vary as per temperature, humidity etc.)